

MIROLOK 3508 Glass Clean & Prime

MIROLOK 3508 Glass Clean & Prime is an easy to use, fast drying primer used to both clean glass and provide excellent adhesion to glass for MIROTHANE PU metallic, pearlescent or solid coloured topcoats.

Product Advantages

- Cleans and primes in one action
- Easy to use, no mixing or pot life issues
- Fast drying

Typical Applications

Glass splashbacks, toughened glass countertops, glass furniture and glass feature walls.

Application Method

Apply to glass with a clean, soft absorbent, lint-free cloth or if applying to a large area use a plastic trigger spray pack. Wipe wet surface vigorously in the same way you would a glass cleaner. Finish with a clean rag wiping hard enough to remove excess primer and the majority of the streaks.

Drying: Recoat: 15 -60 minutes

If temperature is less than 15°C wait 30-60 minutes before topcoating.

Recommended Topcoats: MIROTHANE PU 5605 mixed 2A:1B with 5789
MIROTHANE PU 5640 mixed 10A:1B with 5789
MIROTHANE PU 5650/30 mixed 3A:1B with 5735 or 1A:1B with 5747
MIROTHANE PU 5650/FG mixed 1A:1B with 5780 or 2A:1B with 5789

Application Equipment Clean Up: Clean all equipment using MIROSOL 1222 or 1286 Thinner

Shelf Life: 24 months

Packaging: 1 litre & 5 litres

Health & Safety

Before handling, refer to the Material Safety Data Sheet for health and safety information. Ensure that all personnel using this product have read and understood this data sheet and the associated MSDS and packaging label before using this product.

Mirotone Pty Ltd Australia (Head Office)
ABN 40 000 041 136
21 Marigold Street,
Revesby NSW 2212 Australia
P +61 2 9795 3700 F +61 2 9771 3601
sales@mirotone.com.au

Mirotone (NZ) Ltd New Zealand (Head Office)
32 Cryers Road,
Auckland, 1730, New Zealand
P +64 9 272 2730 F +64 9 272 2733
information@mirotone.co.nz

Mirotone (Thailand) Co., Ltd
83 Moo 4, Poochaosamingprai Rd,
Samrong Klang, Prapradaeng,
Samutprakam, 10130, Thailand
P +66 2 754 4451 F +66 2 754 4450

www.mirotone.com