

## **MIROTEX 3934 / 3937 Universal Texture Additive**

MIROTEX 3934 & 3937 are versatile texture additives that can be added to Mirotone's MIROLAC NC, MIROBILD AC and MIROTHANE PU topcoats. MIROTEX is easy to apply and is available in either Fine (3934) or Coarse (3937).

### **Product Advantages**

- Easy to apply
- May be added to MIROLAC NC, MIROBILD AC or MIROTHANE PU topcoats
- Available in Fine (3934) or Coarse (3937)

### **Typical Applications**

Any application where a textured finish is required.

### **Mixing Ratio (by volume):**

MIROLAC NC 3150	6 parts base to 1 part MIROTEX
MIROBILD AC 3770	6 parts base to 1 part MIROTEX
MIROTHANE PU 5605	4 parts base to 1 part MIROTEX
MIROTHANE PU 5610	4 parts base to 1 part MIROTEX
MIROTHANE PU 5650	4 parts base to 1 part MIROTEX

**Application Methods:** Add MIROTEX to the single pack or Part A base of the selected topcoat mixing thoroughly. Once mixed add the appropriate Part B hardener or catalyst. Thin as required, mix thoroughly and then apply as per directions on the chosen topcoat data sheet. Apply in even wet coats to achieve a uniform finish.

Note: Correct mixing is important. Only add MIROTEX to the Part A just before use, do not leave in Part A for any length of time. The pot life of two pack topcoats will be reduced when MIROTEX additive is added.

**Shelf Life:** 60 months

**Packaging:** MIROTEX 3934 (Fine) – 1 litre & 4 litre pack MIROTEC 3937 (Coarse) – 4 litre pack

**Refer to the appropriate topcoat data sheet for more information.**

## Health & Safety

Before handling, refer to the Material Safety Data Sheet for health and safety information. Ensure that all personnel using this product have read and understood this data sheet and the associated MSDS and packaging label before using this product.

---

**Mirotone Pty Ltd Australia (Head Office)**

ABN 40 000 041 136  
21 Marigold Street,  
Revesby NSW 2212 Australia  
P +61 2 9795 3700 F +61 2 9771 3601  
sales@mirotone.com.au

**Mirotone (NZ) Ltd New Zealand (Head Office)**

32 Cryers Road,  
Auckland, 1730, New Zealand  
P +64 9 272 2730 F +64 9 272 2733  
information@mirotone.co.nz

**Mirotone (Thailand) Co., Ltd**

83 Moo 4, Poochaosamingprai Rd,  
Samrong Klang, Prapradaeng,  
Samutprakam, 10130, Thailand  
P +66 2 754 4451 F +66 2 754 4450

**[www.mirotone.com](http://www.mirotone.com)**